


**JANOME**



SEWING MACHINE  
ACCESSORIES

# Janome Sewing Machine Compatibility Quick Reference Guide

Use this quick reference guide to determine compatibility of an accessory with your Janome sewing machine.



Memory Craft 11000



Memory Craft embroidery models  
\*Sewing accessories not available for embroidery-only machines



Memory Craft 6600P/6500P



Memory Craft computer models



Top-loading models  
(6.5 - 7 mm max. width)




Top-loading models  
(5 mm max. width)



Front-loading models



Overlockers  
\*except models 203, 888




Cover stitch machines



High speed machines



Needle punching machines



Multi-needle embroidery machines





Combined overlock and  
cover stitch machines



**JANOME**



# SEWING MACHINE ACCESSORIES



# Adding to your sewing enjoyment

Janome accessories help make your sewing more comfortable and enjoyable.

Each of our accessories has been developed to be easy to use and give beautiful results.

So you can sew with confidence knowing it is a Janome.

The first step in cultivating your sewing skills is choosing the right tools.

Let this catalog guide you for the projects you may have in mind

and serve as inspiration for your new ideas.



■ JANOME QUALITY CATALOG OF ACCESSORIES

■ QUILTWORK

▲ FOR GENERAL SEWING MACHINES

■ HOME DEC

▲ FOR OVERLOCKERS

■ HEIRLOOM SEWING

▲ FOR COVER STITCH MACHINES

■ EMBROIDERY

▲ FOR COMBINED OVERLOCK AND COVER STITCH MACHINES

■ NEEDLE PUNCHING


▲ FOR HIGH SPEED MACHINES

▲ MISC. ACCESSORIES



## Janome Engineering and Craftsmanship for Better Quality Sewing

Exclusive features of Janome presser feet and accessories give you more control and accuracy for a higher quality finish. Calculated for effectiveness and full of originality, you can be assured that the history and tradition of quality Janome engineering is behind not only every sewing machine, but every presser foot and accessory as well.




### Grooves guide fabric and thread

Special grooves on the underside of feet promote optimal fabric feed for best results. On the left, the diagonal grooves on the underside of the blind hem foot improve contact of the fabric with the center guide plate for more accurate blind hems. On the right, outlets are provided on the underside of the zigzag foot to help grab the thread as it exits and improve stitch quality.

### Brushes give resistance

Have you ever wondered why Janome's overedge foot has a brush on one side? The brush replaces the resistance the needle normally experiences when passing through the fabric, but which is missing with the right-most stitch when overcasting. Adding this resistance allows even tension control for a beautiful finish.




### Button locks foot tilt

Who hasn't been frustrated by stitching bunching up before a thick seam? Although sewists normally appreciate the free tilt of a sewing foot, sometimes this feature can work against you when the foot comes up against a thick seam. To help you have perfect stitching over even the thickest seams Janome provides a button on the zigzag foot that locks it horizontal parallel to the thread plate for smooth sewing over seams or other areas of significantly varying thicknesses. This feature can also be used at the start of sewing thick fabrics for a perfect start.

### Caterpillars for better control

Most presser feet are flat. But what do you do when there is a significant difference in the height of the fabric on the left of the needle from that on the right, such as when finishing hems and edges of thick materials. This is where the unique design of the Janome rotary even foot comes into play. The foot allows left-right tilt and its caterpillars independently grip the fabric for exceptional control, even over thick seams.






## ACUFEED: Layered Fabric Feeding System

Only Janome truly integrates a built-in walking foot with a unique seven point feed dog system. Since the top layer is fed in perfect timing with the bottom layer, all fabrics move smoothly, even the slippery ones like velvet or thick layers of quilting fabric and batting, and heavy home dec yardage. Perfect feeding also means perfect alignment of patterns such as checks and plaids.



### AcuFeed feet broaden possibilities of AcuFeed system

Combine the perfect feeding of the AcuFeed system with these specially designed presser feet to match the needs of your sewing applications.



#### ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE

Guides edge of fabric to help you sew perfect 1/4 inch seams, especially useful for patchworking. The small needle hole on the needle plate prevents fabric from being pushed under the needle plate.

846-407-007	C
(AcuFeed models only)	



#### ACUFEED OPEN TOE FOOT

Front of foot has been removed for clearer visibility when sewing. Great for applique, monogramming, cutwork and quilting.

846-410-003	C
(AcuFeed models only)	



#### ACUFEED DITCH QUILTING FOOT

Center-position guide follows a seam line precisely, allowing perfect in-the-ditch quilting. Used in conjunction with various needle positions, it is also perfect for topstitching or understitching a facing.

846-413-006	C
(AcuFeed models only)	



# QUILTWORK

Quiltwork has a long history. Traditional quilting includes the use of patterns and designs that can date back hundreds of years. More recently, quilting has received increased recognition as an art form, with museum exhibitions becoming less uncommon as it grows in popularity. Quilts add warmth to our lives, and not just as bed coverings. Janome accessories make the mechanics of quiltwork easier so you can focus on letting your creativity flow.

## EVEN FEED FOOT



The even feed foot walks over fabric to assist with smooth feeding. With this foot fabric can be sewn without puckering, as the fabric is gripped and fed by both the upper and lower feed dogs. Use the quilting guide for perfectly spaced parallel lines of stitching or to form a wider seam allowance.





It is said that each piece of quiltwork is as unique as the sewist creating it.

Let Janome help bring out your creativity whether through a large quilt enjoyed as a wall hanging or comfy throw, or a smaller creation such as a toss cushion or even incorporated into daily objects such as a unique tote, case or holder.



1/4 INCH SEAM FOOT




Sew a 1/4 inch seam allowance quickly and accurately. Great for patchwork which traditionally uses 1/4 inch seams.

## Mix different colors and textures

Not only can various colors of fabrics be combined into a quilt, but you can have fun mixing and matching textures by incorporating various sewing techniques. For example, contrast embroidery with crazy free motion stippling or simple straight lines of quilting. The possibilities are endless when you have the right tools.



## DARNING FOOT



Spring-loaded foot for free motion stippling, quilting and free form monogramming. The front of the foot has been removed to give you a better view when following pre-marked guide lines. Lower your feed dogs before using this foot.



## Kids love quiltwork.

What better way for them to start the day than being greeted at their bedside by a patchwork teddy bear you have made. Or packing library books into their own special quilted tote bag. The wonderful feeling of handmade quiltwork is sure to be loved by all the children in your life.

## CUSTOM CRAFTED ZIGZAG FOOT



The open toe allows for a better view of the stitches as you sew and the wide groove on the underside allows satin and other decorative stitching to pass through unobstructed. Use this foot for quilting, monogramming, applique and cutwork.

## DITCH QUILTING FOOT



Use this foot for perfect placement when stitching in the ditch. The guide follows the seam line keeping the stitch line perfectly straight, and can also be used as a center guide for applying applique or aligning with a pre-marked guide line.





# HOME DEC

Are you satisfied with how your home is decorated? Whether it's a room you spend a lot of time in or a room you like to show off to guests, the right color coordination can make a room comfortable and inviting. Finding the perfect hue can be downright daunting, so increase the possibilities by creating your own or embellishing existing home dec items. And let Janome's accessories help you add a professional flair with ease.



## Keeping it simple for a sleek modern look

Limit your color palate to a few colors and pull the room together with a variety of fabric textures. Why limit yourself to flat fabrics when you can add textures through the use of techniques such as a checkerboard of pintucks. Texture can also be added with similar hued cord or embroidery floss.



## A fresh look for your table

Start with a simple color palate of a few fresh colors. Then add your own embellishments in coordinating colors for flair. Thread based embellishments are perfect for placemats where you want to maintain a flat surface. Add distress to pintucks on a coarser fabric for a softer well-loved look and feel.




### PINTUCKING FOOT + CORD GUIDE




Use a pintuck foot together with the cord guide to create corded pintucks. The grooves on the underside can be matched up with a previously sewn pintuck for perfectly spaced rows.

### 3-WAY CORDING FOOT



The slots in this foot will hold one to three lengths of cord in place while stitching a decorative stitch over the cords.

### PIPING FOOT



This foot is for making and applying piping. The corded part of the tape fits under the left groove on the bottom of the foot. Can also be used with prepared piping or specialty piping.





## Brighten up a plain room

A simple room can be instantly energized by adding colorful accents. For maximum impact with minimal effort, attach shiny embellishments such as ribbons, strands of beads or sequins in contrasting colors. It's a breeze when using Janome's beading foot or ribbon/sequin foot.

### GATHERING FOOT



Used for creating soft gathers quickly, the size of the gathers is determined by the weight of the fabric, stitch length and needle thread tension. Sew one layer of fabric only.

### BEADING FOOT



Makes sewing on continuous beads a dream. Select a zigzag stitch and alter the stitch length and width to ensure that the stitch goes over and between the beads.

### RIBBON/SEQUIN FOOT



A specialty foot for easy application of ribbons and sequins. Insert the ribbon into the hole of the guide and pull a little of the ribbon to the back of the foot. Select a stitch and begin sewing.





### What kind of decor helps you relax?

There is something about cross-stitching that conjures a comfortable sense of nostalgia. What kind of stitch best suits you? Create your special relaxation space with items decorated with your favorite stitching.

# HEIRLOOM SEWING

Heirloom sewing, which is also called French sewing, originally referred to the adding of delicate hand embellishments to create clothing and other objects that can be passed down from one generation to the next. Some of the different techniques used in heirloom sewing include pintucks, fine embroidering, lace insertion and edging, and many other embellishments.

In recent years heirloom sewing has experienced a dramatic resurgence in popularity, in both clothing and home dec. While the attention to detail required can be daunting to the beginner sewist, it needn't be when you have the right tools. As the most important element in heirloom sewing is precision, your Janome sewing machine is a perfect fit, and using the appropriate foot will make creating beautiful heirloom effects a pleasure.





## Let the details take center stage.

Start with the highest quality fabrics and threads to ensure your creations maintain their beauty for years to come. Carefully plan your embellishments and test before sewing your actual project. Then let the precision of your Janome sewing machine and accessories do the work.

### ROLLED HEM FOOT



Makes a delicate 2 mm rolled hem on lightweight fabrics, automatically rolling the fabric for you. Especially useful on edges such as ruffles where you do not want to add any bulk to the edge.



### SATIN STITCH FOOT



Designed for stitching dense satin and decorative stitches, the bottom of the foot is beveled to allow smooth delivery of thread under the foot while securely holding the fabric to the feed dogs. Increased presser foot pressure may be needed when adding decorative stitching to a single layer of a lightweight fabric. Get the best results on fine fabrics by applying lightweight tear-away stabilizer.

### PINTUCKING FOOT



Delicate twin-needle pintucks are a breeze with the grooves on the underside of the foot. Pintucks are not only decorative, strategically placed they can also be used to add a touch of modesty to light weight fabrics.

## Modern Heirloom


While heirloom techniques may be steeped in tradition, they are in no way tradition bound. Although traditional heirloom is monotone or accented with pastel colors, modern heirloom combines the delicate techniques with brighter colors, patterns, and even pairs with techniques such as deconstructed seams for a touch of old but new.



Use delicate heirloom techniques to add just the right amount of color and accent to a plain white collar.



## BUTTONHOLE FOOT



Thin fabrics call for finer threads and needles, but what if you are making a buttonhole in a delicate blouse? Add cording to give strength without bulk. Hook fine filler cord around the spur on the back of the buttonholer and up through the forks before sewing the buttonhole.



## PINTUCKING FOOT + CORD GUIDE



Use dark colored embroidery floss to add colored shadow effects to sheer fabrics.



## From generation to generation

A special garment to welcome a precious new baby. Delicate embellishments on the finest of linens show the loving care with which it was made. More than just something to wear, a cherished treasure to become part of a family legacy for generations to come.

### WING NEEDLE



Metal extensions on each side push aside threads of the fabric to create the prominent holes in hemstitching. Best used with woven natural fiber fabrics such as linen or cotton, softer fabrics with less body can be stiffened up with starch for better results.

### CUSTOM CRAFTED ZIGZAG FOOT



The open toe allows for a better view of the stitches as you sew, especially when used for applique or when precise alignment of stitches is required. Apply a thin tear-away or dissolving stabilizer before stitching lighter weight fabrics.



Increase your repertoire of heirloom techniques. Moving beyond pintucks, add rows of ladder-stitch attached ribbon interspersed with hemstitching and embroidery-like decorative stitching.



# EMBROIDERY

From years past when it was an exclusively hand-sewn affair, embroidery was not only a practical part of everyday life but was also used to add a touch of elegance. Over time embroidery has evolved to include beautiful multi-hued patterns and various combinations of threads and fabrics. Enjoy the wonderful world of embroidery with high-quality Janome embroidery-related products.





## Add elegance to your space

Use embroidery to turn a room from simple to simply gorgeous. Let your cushions and bed linens be the canvas for you to bring it all to life.



## Janome Embroidery Hoops

Janome has a variety of hoops to meet your embroidery needs. From the small free arm hoop for adding just a bit of embroidery, to the Macro and Giga hoops for extra-large designs, Janome has the hoops to meet your layout needs.



### HAT HOOP

(Must be used in conjunction with Hoop RE or Hoop B)

200-335-003	AB
-------------	----

### RECTANGULAR HOOP

Hoop RE 140 x 200 mm

860-421-001	A
-------------	---



### FREE ARM HOOP

Hoop FA 50 x 50 mm

860-402-006	A
-------------	---

Hoop C 50 x 50 mm

850-803-000	B
-------------	---

### ROUND HOOP

Hoop F 126 x 110 mm

850-411-007	B
-------------	---



### EXTRA LARGE HOOP

Macro Hoop (MA) 200 x 280 mm

860-403-007	A
-------------	---

Giga Hoop (D) 230 x 200 mm

850-406-009	B
-------------	---





## You don't even need fabric

Free-standing embroidery expands your embroidery possibilities. Stitched on water-soluble stabilizer which is rinsed away, leaving you with only the embroidered thread. Perfect for making laces, jewelry and even accents to use in scrapbooking.




## Janome Embroidery Collections

While embroidery designs are now available from a variety of sources, with Janome embroidery collections you have a wide selection of designs that have passed a thorough quality assurance process.

## A historical touch to your modern decor

Add just the right amount of decoration to a crisp black and white decor. Coordinating geometric design elements can be combined into patterns as complex or as simple as you choose. Although the designs might appear simple, it is the precision of Janome's exclusive linear motion guide that lets their elegant beauty stand out.






# NEEDLE PUNCHING

Discover the ancient art of felting made simple, and unleash your artistic potential.

Felting uses barbed needles to interweave two or more fibers, blending their colors and textures to create a completely new and unique material, without thread or bobbin. For centuries, fabric artists have felted by hand, a painstaking and inexact process. With a dedicated felting or needle punching machine, you can master this art in minutes, and achieve professional-looking results with ease.



## 1 Five Needles Do The Work

There is no thread or bobbin mechanism involved. Instead, these sharp needles have barbs that catch the fibers of the fabrics and push them down through the layers.

## 2 Five-Hole Design

The needle holes in the base plate keep fabric in place, help the needles penetrate multiple layers and prevent fabric munching.

## 3 Room for Multiple Layers

The see-through adjustable presser foot allows you to manipulate multiple layers.




## Explore the creative possibilities!

Fabric Scraps



Novelty Yarns



Variegated Colors



Roving



Ribbons and Lace



A close-up photograph of a sewing machine, likely a Janome, with a white body. In the foreground, several different presser feet are laid out on a surface covered with various colored fabrics: green, blue, red, and a blue-and-white checkered pattern. The feet include a standard foot, a zigzag foot, a button foot, and others. The background is slightly blurred, showing the sewing machine's arm and needle area.

# CATALOG OF ACCESSORIES

Using the correct presser foot and accessory for the job at hand not only makes it easier to complete, but also lets you achieve more beautiful finished results. Further it means that you will have less strain on your eyes for a more enjoyable sewing experience. Let this catalog guide you to the right accessories to meet your sewing needs.

Use the handy quick reference guide to determine the compatibility of each accessory with your Janome sewing machine.




## GENERAL SEWING MACHINE ACCESSORIES

General sewing machines are versatile and user friendly. Let Janome presser feet and accessories expand your sewing repertoire.




### STRAIGHT STITCH FOOT



Why do we need a straight stitch foot? The straight stitch foot is often used on very fine or very heavy fabrics. This particular foot is flat on the underside to provide an even pressure against the feed dogs and it has a rounded needle hole which offers the benefit of more support around the needle to prevent skipped stitches and puckering.

200-331-009	ABCDEF
200-125-008	G

### APPLIQUE FOOT




This presser foot is shorter than most for easier maneuvering around curves and corners when sewing applique pieces. Made of clear plastic for easier viewing as you sew.

820-815-002	ABCDEF
-------------	--------




## ROLLER FOOT



As its name suggests this foot has rollers that roll against the fabric and act very much like the track on a bulldozer for sewing up and over heavy seams and uneven surfaces. Ideal for sewing heavy fabrics the rollers move freely between the foot and the feed dogs so that the foot rides easily over varying thicknesses. Also used to sew sticky leathers and vinyl.

200-316-008	<b>ABCDEF</b>
200-142-001	<b>G</b>

## DARNING FOOT



Sometimes referred to as the embroidery foot, the darning foot is used for 'free hand' embroidery and darning to ensure proper stitch formation, minimize skipped stitches and puckering and also protect your fingers while you move your fabric freely under the needle. Especially beneficial to those just learning how to do free hand embroidery. The open toe version greatly improves visibility of stitches and is especially popular with quilters.

### (REGULAR)

200-325-000	<b>ABC</b> *1
200-349-000	<b>CDEF</b> *2
200-127-000	<b>G</b>


### (OPEN TOE)

200-337-005	<b>ABC</b> *1
200-340-001	<b>CDEF</b> *2

\*1 excl. MC6500P  
\*2 excl. MC6600P



## ULTRA GLIDE FOOT




The ultra glide foot is molded from a special resin allowing easier sewing of fabrics that may otherwise stick to the standard metal foot such as ultra suede, faux leather and plastic

200-329-004	ABCDEF
200-141-000	G



## DITCH QUILTING FOOT



A very useful addition to the sewing room when wanting a perfectly straight "stitch in the ditch". The guide on the foot spreads the seams allowing you to stitch perfectly in the ditch, and is also useful when adding decorative top stitching along seams.


200-341-002	ABCDEF
-------------	--------

### ACUFEED DITCH QUILTING FOOT


846-413-006	C
-------------	---

(AcuFeed models only)

## EVEN FEED FOOT



The even feed foot, sometimes referred to as the walking foot, is designed with a set of feed dogs (teeth) which allow the fabric to feed without shifting and eliminates the problem of the under layer of fabric coming up short. The even feed foot is also great for topstitching which can be spoilt due to irregularity of stitching. This is often caused by the bulk created with the seam allowance especially around collars and reverses. Using the walking foot for topstitching will eliminate this problem and give perfect stitching every time. Also includes quilting guide.



### (REGULAR)


200-309-008	ABC*1
200-311-003	DEF
200-310-002	G

### (OPEN TOE)

200-338-006	ABC*1
200-339-007	DEF

\*1 excl. MC6500P


## SATIN STITCH FOOT



For sewing dense zigzag stitching. The bottom of the foot is beveled for smooth delivery of thread when sewing decorative or satin stitches. Foot is made of clear plastic making it easier to view stitching.

822-804-129	ABCDEF
200-129-002	G

## 1/4 INCH SEAM FOOT



A popular foot with patchworkers for that essential 1/4 inch seam. The guide on the foot enables you to sew a perfect 1/4 inch seam every time. The guide can also be used wherever a 1/4 inch seam is called for but the markings on the needle plate cannot be used, such as when completing a flat-felled seam.


200-318-000	ABCDEF
200-330-008	G

### ACUFEED 1/4 INCH SEAM FOOT AND NEEDLE PLATE

846-407-007	C
-------------	---

(AcuFeed models only)

## GATHERING FOOT




This foot is for creating soft gathers in lightweight fabrics. The underside of the foot is raised behind the needle and has a thick bar in front of the needle to gather and attach a ruffle onto a flat piece of fabric simultaneously. Use a ruffler to obtain a more dramatic gather.

200-315-007	ABCDEF
200-124-007	G





## CUSTOM CRAFTED ZIGZAG FOOT



The open toe on this foot allows a better view of the sewing in progress. This foot can be used for quilting, monogramming, applique, and cut work.

200-137-003	<b>ABCDEF</b>
-------------	---------------

### ACUFEED OPEN-TOE FOOT

846-410-003	<b>C</b>
-------------	----------


(AcuFeed models only)

## BINDER FOOT




The binder foot is used to apply pre-folded bias binding tape or bias tape you have cut yourself to the edge of fabric in one easy step. It is equipped with a small funnel to fold and guide the binding over the fabric edge before it reaches the needle and can be used with either zigzag or decorative stitches as well as straight stitch. 10 mm to 14 mm bias tape can be used.

200-313-005	<b>ABCDEF</b>
200-140-009	<b>G</b>




## OVERCASTING FEET



### OVEREDGE FOOT

Use with an overcasting stitch to allow thread to wrap around the edge of the fabric to prevent unraveling. The foot guides the fabric and keeps your edges flat by compensating for the lack of friction when the needle makes the right-most stitch.

822-801-001	ABCDEF
200-132-008	G




### OVERCASTING FOOT


Use with the overlock stitch to give a professional finish to the edges of your seams. Particularly good for finishing off medium to heavyweight, easily frayed woven fabrics such as tweed, gabardine, and linen.

822-808-008	ABCD*1
-------------	--------

\*1 excl. MC3500, MC3000, 6260QC



## BLIND HEM FOOT



Blind hemming can sometimes be a little bit tricky so the blind hem foot goes some way to helping improve this technique. The foot has a metal guide in the center and three grooves on the underside. During blind hemming, the fold of the fabric fits snugly against the guide in the foot for accuracy while the grooves underneath help to prevent unnecessary slipping. The needle swings over the metal guide creating slack in the upper tension so that the pick of the stitch is almost invisible.

825-817-009	ABCD*3
820-817-015	EF*4
200-130-006	G

\*3 also 6260QC  
\*4 excl. 6260QC



The hemmer foot, sometimes referred to as the rolled hemmer, is used to stitch the narrow rolled hems usually found on shirt tails, table linens and along the edge of frills. The hemmer is designed with a scroll shaped feeder on top and a straight groove on the underside which determines the width of the finished hem. The 4 mm/6 mm set will allow for the use of heavier fabrics.

## HEMMER FEET




HEMMER FEET SET (4 mm & 6 mm hems)

200-326-001	ABCDEF
-------------	--------

### ROLLED HEM FOOT

820-809-014	ABCDEF
200-128-001	G



## ROTARY EVEN FOOT

323-77-77 ABCDEFG

For use with all sewing machines, the rotary foot is effective for preventing stretchy fabrics, jersey and knitted fabrics and hard to feed materials, like leather or vinyl from slipping or puckering. The foot also allows left-right tilt and its caterpillars independently grip the fabric for perfect feeding along areas where there is a height difference between the left and right sides of the needle especially when hemming thicker fabrics.



### BLIND HEM ATTACHMENT



The blind hem attachment enables accurate feeding of the fabric to achieve a consistent blind hem.

### BIAS TAPE ATTACHMENT




The bias tape sewing attachment is adjustable and enables you to attach folded bias tape up to 20 mm wide.

### WIDE ROLLED HEM ATTACHMENTS



The wide rolled hem attachments enable wide rolled hems to be sewn in the following sizes: 1/2 inch, 3/4 inch, and 1 inch.



## PINTUCKING FEET


The pintucking foot is used with a 2 mm twin needle to create multiple rows of pintucks. The grooves on the underside of the foot make it easy to stitch several rows parallel and evenly spaced from each other.

**SET OF TWO FEET** (shallow grooved and deep grooved)

200-317-009	ABCDEF
-------------	--------

**SINGLE FOOT** (shallow grooved only)

200-328-003	G
-------------	---




## PINTUCKING CORD GUIDES

The cord guide is attached in place of the clear plastic bobbin cover to feed perle cotton or other cord as you sew for easier corded pintucks. Two guides are included in the set: one for cord up to 1.5 mm in diameter and one for cord 1.5 - 2.5 mm in diameter.

503-813-008	A C *1
200-324-009	B DEF *2

\*1 also 6260QC, 6125QC, 6019QC  
\*2 excl. 6260QC, 6125QC, 6019QC

## PIPING FOOT




If ready made piping cord is not available or if you just want to make your own, the piping foot is ideal for the job. The piping foot (sometimes mistakenly referred to as the cording foot) is designed with two grooves on the underside and will hold and cover the cord when making piping tape. It can also be used for attaching piping. Maximum cord size is 5 mm.

200-314-006	ABCDEF
-------------	--------



## RUFFLER




Rufflers have been around for a very long time and have changed very little over the years; they have however remained very popular. Although at first sight a ruffler may appear bulky and complicated, its innovative design actually makes it very easy to use. This design allows fabric to be ruffled or pleated to the desired fullness quickly and easily and also has the capability to vary the sizes of ruffles.

943-100-000	<b>AB DEFG</b>
943-100-207	<b>ABCDEFGG</b> *1
846-415-008	<b>ABCDEFGG</b>

\*1 excl. MC6600P

## BEADING FOOT




Sewing on strung beads and pearls has always been a tedious task but the beading foot now goes some small way to alleviating this and to add pleasure to embellishing. Popular for bridal wear, evening wear, smart/casual or crafts, the beading foot set is a blessing. There are two feet in the set: narrow groove for beads up to 2 mm in diameter and wide groove for beads 2.5 - 4 mm in diameter.

200-321-006	<b>ABCDEF</b>
-------------	---------------




### 3-WAY CORDING FOOT



The 3-way cording foot will hold one, two or three fine cords or threads. Because they are attached to the foot, the required design can be easily followed and the cords are perfectly placed. A variety of utility or decorative stitches can be sewn over the cords to couch them onto base fabrics. The choice of cord, thread and stitch are all contributory factors to the final effect.

200-345-006	ABCDEF
200-126-009	G

### RIBBON/SEQUIN FOOT





As with beads and pearls it is now so much easier to attach ribbons and even sequins with the help of our special ribbon/sequin foot. This foot is designed with guides through which ribbon or strung sequins can be inserted and it will allow them to feed through evenly as you sew. Besides affixing the ribbon, a wide ladder stitch can be used with narrow ribbon to make an easy and functional drawstring.

200-332-000	ABCDEF
-------------	--------



## BUTTONHOLE FEET



### TRANSPARENT BUTTONHOLE FOOT

For sewing buttonholes on tight areas such as cuffs and other areas where more freedom of movement is required than available with a sliding-type buttonhole foot.

820-801-016	ABCDEF
-------------	--------

### SLIDING BUTTONHOLE FOOT

For easy 4-step buttonholes on front loading machines. (Sliding buttonhole foot included as standard accessory on all sewing machines with a 1-step buttonhole function.)


#### (REGULAR)

200-123-006	G
-------------	---

#### (WITH BUTTON SIZER)

200-134-000	G
-------------	---

## BUTTON SEWING FOOT





Quick and easy button sewing with the special button sewing foot. This foot has two bars that attach to the foot shank to provide extra stability and also has a textured, rubber sleeve to hold the button securely in place while sewing.

200-136-002	ABCDEF
200-131-007	G




## ZIPPER FOOT



This foot can be set to sew on each side of the zipper. The edge of the foot guides the zipper to ensure straight placement.

(SNAP ON)

829-801-002	ABCDEF
940-290-000	G




(SCREW ON)

Can also be used as piping foot for thicker piping including the heavy jumbo cord.

200-334-002	ABC*1
200-342-003	CDEFG*2


\*1 excl. MC6500P  
\*2 excl. MC6600P

## CONCEALED ZIPPER FOOT




Good quality ready to wear garments will often have an invisible zip fitted. These zippers are often neglected by the home dressmaker which is a pity because they can ensure success every time. Invisible zips are suitable for all fabrics from fine silk jersey through to suit weight wools and tweeds. The key is to get the needle as close to the fastener as possible, which this foot accomplishes by slightly unrolling the zipper just before the needle. Once fitted, a well sewn invisible zipper will merely look like part of the seam.

200-333-001	ABCDEF
941-800-000	G



## OVERLOCKER ACCESSORIES


Janome overlockers are known for their ease of use and beautiful serging results. Specialized overlocker feet and accessories are designed to give you the effect you want even on stretchy and thin fabrics.



### CORDING FOOT (B)



Used in conjunction with the narrow hem, the cording foot B allows you to insert decorative cording as you stitch. This will give fine beautiful finished edges to table and other linens.



200-208-109


H



## TAPING FOOT WITH REEL



This attachment consists of a taping foot and a tape reel and is useful when sewing garments in knit or stretch fabric. It will help to feed seam binding tape when sewing shoulder seams and armholes to prevent stretching in these areas.




200-204-208	H
-------------	---

## BLIND STITCH FOOT



Blind hemming is never an easy technique and demands practice and patience. It is possible to use your overlocker to blind hem and the blind stitch foot is equipped with a guide to help keep your stitching straight.




200-203-104	H
-------------	---

## ELASTIC GATHERING ATTACHMENT



Stitching on elastic can sometimes be a little tricky especially when you have to stretch your elastic to size. The elastic foot helps make this technique a little easier to handle.




200-218-102	H *
-------------	-----

\* excl. 134D, 234, 234D, 534D






## CORDING FOOT (A)



With the rolled hem facility on your machine you can make great use of the cording foot A. This foot is ideal for bridal and evening wear and allows you to insert fine fishing line while rolling the edge of your material giving you a beautiful firm but flexible finish.

200-207-108	H
-------------	---

## BEADING ATTACHMENT




The beading attachment comprises a special sewing foot and guide enabling you to sew strung beads onto the edge of your fabric. Especially attractive for bridal wear.

200-214-108	H*
-------------	----

\* excl. 134D, 234, 234D, 534D


## PIPING FOOT



If ready made piping is not available or if you just want to make your own, the piping foot is ideal, making the task quick and easy. The piping foot is available in two sizes: 1/8 inch and 3/16 inch.

1/8 inch	200-219-103	H	* excl. 134D, 234, 234D, 534D
3/16 inch	200-220-107	H *	


## CLOTH GUIDE



As its name suggests, this guide helps keep your seams straight as you sew. Especially useful on flatlock seams and other seams where the knife is lowered.


200-216-100	H *	* excl. 134D, 234, 234D, 534D
-------------	-----	-------------------------------

## GATHERING ATTACHMENT



This attachment creates wonderful even gathers. Especially useful when sewing large amounts of fabric, i.e. bed linens and bridal gowns. With the help of this super attachment you can also gather and sew onto a flat piece of fabric in one easy operation.

200-217-101	H *	* excl. 134D, 234, 234D, 534D
-------------	-----	-------------------------------




## COVER STITCH MACHINE ACCESSORIES

Janome has developed a number of accessories to use with the CoverPro series of cover stitch machines. These accessories make it even easier to create beautiful garments from knits and other stretch fabrics.



### CLEAR VIEW COVER STITCH FOOT




The clear view foot gives you a better view of what you are sewing. It is especially useful for decorative topstitching and can also be used with other attachments such as the hemming guide to match up the end of a hem seam with its start for a beautiful finish. Handy markings on the front edge of the foot correspond with needles for perfect stitch alignment.

for 3 needles	795-818-107	I
for 2 needles	795-821-103	I




## HEM GUIDE



The hemming guide folds over a consistent width of fabric for you, making it easy to form hems, cuffs and other finished edges. When sewing the hem of a tubular item such as a skirt, you can press the release button as you near the finish to release the guide and then finish the rest of the hem.

795-839-104	I
-------------	---

## ELASTIC GATHERING ATTACHMENT



The elastic gathering attachment allows easy attachment of elastic tape for waists and cuffs, which is especially useful for making undergarments and children's clothing. The wide workspace of the CoverPro means you can even add a bit of elastic in the middle of a garment, for example, to the waist of a dress.


narrow (6 - 8.5 mm)	795-816-105	I
wide (9 - 13.5 mm)	795-817-106	I

## TAPE BINDER


The tape binder is used for finishing and covering the raw edges of stretch fabrics. The binder folds the fabric you wish to use as tape around the raw edge as you sew, allowing you to make beautifully finished necks and arm holes and bind any raw edge with ease.



for 3 needles (32 mm/8 mm)	795-838-103	I
for 3 needles (42 mm/12 mm)	795-844-009	I
for 2 needles (32 mm/8 mm)	795-840-108	I
for 2 needles (42 mm/12 mm)	795-843-008	I



### STEP 1




Insert the fabric to be used as tape through the tape guide.

### STEP 2



Guide the tape through the tape guide by gently pulling the end with the tip of the tweezers.


### STEP 3



Pull out the end while using the tweezers tip to help insert the tape between the upper and lower guides at the end of the tube, and then slide the tape under the presser foot.




## CENTER GUIDE FOOT



The center guide foot is used for lining up the center of a two or three-needle stitch with a previously sewn seam.

This attachment is especially useful on sportswear and allows you to tack down already sewn seams, give extra strength to seams that come under strain or simply give a finished decorative effect.

for 3 needles	795-819-108	I
for 2 needles	795-820-102	I




## COMBINED OVERLOCK AND COVER STITCH MACHINE ACCESSORIES

Ready to wear details and decorative accents are easily duplicable with Janome's combined overlock and cover stitch machine accessory range. Create the look you want the way you want it.



### GATHERING FOOT




With the gathering foot it's easy to create the gather you want. The bottom fabric is gathered, seamed and overcast to a flat top fabric all in one easy operation.


200-807-001

M

## WRAPPED EDGE GUIDE



This guide creates the look of bias tape. In addition, it also attaches pre-made bias tape. Hem edges evenly without measuring, pinning or pressing and duplicate ready to wear details easily.




200-801-201	M
-------------	---

### COVER HEM FOOT (M)

200-801-304	M
-------------	---


## BIAS TAPE FOOT



This adjustable foot allows you to attach 10 mm to 40 mm wide bias tape. Creating the look you want has never been easier.

200-810-007	M
-------------	---

## TAPE BINDER




The tape binder clips on to the front of the machine and guides and folds 40 mm bias tape perfectly, doing away the need to pre-iron. Ideal for sewing straight fabrics to curved, finish difficult t-shirt necklines, etc with ease.

200-813-000	M
-------------	---

### ATTACHMENT HOLDER

200-813-103	M
-------------	---

## FELLING GUIDE




Strong and durable flatfelled seams on jeans and t-shirts are a breeze to create with the felling guide. Attached to the machine, it guides and folds the fabric.

200-803-203	M
-------------	---

### CHAIN STITCH FOOT (F)

200-803-306	M
-------------	---

## HEM GUIDE




Hem edges evenly without measuring, pinning or pressing. Simply insert the fabric and the guide automatically folds and creates a 2.5 cm (1") hem. Use with the cover hem foot.

200-801-108	M
-------------	---

### COVER HEM FOOT (M)

200-801-304	M
-------------	---

## CLOTH GUIDE




Attached to the machine, it guides curved fabric to straight edged, and is ideal for making table linens and bags with curves.

200-812-009	M
-------------	---

### ATTACHMENT HOLDER SET

200-812-102	M
-------------	---

## LACE ATTACHMENT GUIDE




Efficient and clever, this guide folds perfect 6 mm (1/4") edges. At the same moment it's hemming, it attaches lace or trim placed underneath. Use with the cover hem foot.

200-801-005	M
-------------	---

### COVER HEM FOOT (M)

200-801-304	M
-------------	---

## LACING GUIDE




Throw away those pins. Accurate alignment of lace or trim to the fabric edge is assured with this guide. Sew lace or trim evenly on top of fabric with a cover hem stitch.

200-803-100	M
-------------	---

### CHAIN STITCH FOOT (F)

200-803-306	M
-------------	---

## FAGOTING GUIDE



Fagoting is a lovely lacy effect that is created underneath and between two fabrics. The fagoting guide keeps the fabrics separated at an equal distance. Use different colored threads to achieve unique decorative effects.

200-803-007	M
-------------	---


### CHAIN STITCH FOOT (F)

200-803-306	M
-------------	---

## ELASTIC GATHERING FOOT



The elastic gathering foot not only takes the hard work out of attaching elastic, it is also great for making your own custom soutache. The three attachments allow you to sew 7.5 mm, 10 mm, or 13 mm flat elastic directly onto fabric. Adjust the screw to control the amount of tension or pressure placed on the elastic being gathered.



200-805-009	M
-------------	---

### ELASTIC GATHERER 7.5 mm

200-805-102	M
-------------	---


### ELASTIC GATHERER 10 mm

200-805-205	M
-------------	---

### ELASTIC GATHERER 13 mm

200-805-308	M
-------------	---

## BELT LOOP FOOT




Easily duplicate the belt loops found in the garment industry using a wide or triple cover hem stitch. This foot automatically folds under bias strip edges for belt loops, decorative accents, button loops, narrow straps, etc. The possibilities are limited only by your imagination.

200-808-002
-------------

M
---



## CORDING GUIDE



Create corded pintucks with ease. The cording is threaded through the guide and then stitched into the pintuck.

200-802-109	M
-------------	---


PINTUCKING FOOT (K)

200-802-202	M
-------------	---



## CREATE DECORATIVE TRIM

Couch narrow ribbon, create your own decorative trims, or add bands of soutache to your next garment using the overlock 3 stitch and the cording guide.





CORDING GUIDE (K-2)

200-802-109	M
-------------	---

CORDING FOOT (Q)

200-802-305	M
-------------	---

## PINTUCKING GUIDE




The pintuck guide lifts the fabric into a tuck and easily creates a corded look without the need for cording.

200-802-006	M
-------------	---

### PINTUCKING FOOT (K)

200-802-202	M
-------------	---

## TOPSTITCH GUIDE



The topstitch covered seam guide is ideal for securing easily frayed fabrics and tidying hems away. Use different colored thread for decorative effects.

200-804-008	M
-------------	---

### TOPSTITCH FOOT (N)

200-804-101	M
-------------	---



## LARGE PINTUCKS

If large pintucks are desired, simply insert the appropriate sized cording into this guide and let your artistic flair shine.

### TOPSTITCH GUIDE (N-1)


200-804-008	M
-------------	---

### TOPSTITCH FOOT (N)

200-804-101	M
-------------	---



## BEADING FOOT




Beaded trims add that special touch to any project. Deep grooves on the bottom of the pearl foot guide strands of pearls or beads perfectly into place and are secured with a flatlock stitch.

200-809-003

M

## BLIND STITCH FOOT




The adjustable guide on the blind stitch foot ensures that any weight of fabric is trimmed, overlocked and invisibly hemmed in one quick step. Change the stitch and it becomes a wonderful guide for decorative pintucks, lacy fagoting or flatlocking as seen in ready to wear.

200-806-000

M

---

## AUXILIARY THREAD GUIDE



Prefer using industrial cone thread? Place unusually large thread cones behind the machine on the table and attach the guide to the antenna for smooth feeding of thread.

200-811-008


M



## HIGH SPEED MACHINE ACCESSORIES

Janome high speed sewing machines sew at a maximum 1,600 stitches per minute, the fastest on the market. Everything on these sewing and quilting machines is built for high quality stitches at professional speeds, including the specialized accessories and presser feet.


### ULTRA GLIDE FOOT



Molded from a special resin for easy sewing of fabrics that might stick to a metal foot, the ultra glide foot is perfect for sewing ultra suede, vinyl and imitation leather.

767-404-028

J



## NEEDLES

No matter how advanced or sophisticated the sewing machine has become, the basic principle of selecting the correct needle to be used must still apply. Quite simply, the finer the fabric the finer the needle, the heavier the fabric the heavier the needle, but whether fine or heavy it is important to replace your needles regularly.



### ASSORTED SEWING NEEDLES

200-135-001  
ABCDEFG

A set of five general sewing machine needles with two size 75/11 ballpoint needles, two size 90/14 ballpoint needles, and one Blue Tip needle.



### BLUE TIP NEEDLES

200-346-007  
ABCDEFG


A Janome specific needle, the Blue Tip has a unique design with a pierce point plus a slightly longer than normal scarf to cure skipped stitches and puckering in any problem fabric especially synthetics.



### RED TIP NEEDLES

990-314-109  
ABCDEFG

The Red Tip needle has been designed to penetrate fabric easily and effectively prevents thread breakage and skipped stitches when embroidering dense designs.



### FM725 FIXED FELTING NEEDLES

725-607-104  
K



### FM725 CHANGEABLE NEEDLE UNIT

725-822-004  
K

single needle refills  
3/pkg

725-811-000  
K

5/pkg

725-829-001  
K

10/pkg

725-807-003  
K

MODEL	NEEDLE TYPE	PART NO	
Ball Point for Sewing machines and Overlockers	HA15x1SP Ball point assorted (5/pkg)	990-200-000	ABCDEFGH
	HA15x1SP Ball point size 75/11 (5/pkg)	990-211-000	ABCDEFGH
	HA15x1SP Ball point size 90/14 (5/pkg)	990-214-000	ABCDEFGH
CoverPro	Assorted 80/12 & 90/14 (5/pkg)	795-802-108	I
	Size 80/12 (5/pkg)	795-807-103	I
	Size 90/14 (5/pkg)	795-808-104	I
1600P	HLx5 size 65/9 (10/pkg)	767-811-000	J
	HLx5 size 75/11 (10/pkg)	767-812-001	J
	HLx5 size 90/14 (10/pkg)	767-813-002	J
	HLx5 size 100/16 (10/pkg)	767-814-003	J
1600P-DB & 1600P-DBX	DBx1 size 65/9 (10/pkg)	767-807-003	J
	DBx1 size 75/11 (10/pkg)	767-808-004	J
	DBx1 size 90/14 (10/pkg)	767-809-005	J
	DBx1 size 100/16 (10/pkg)	767-810-009	J
MB-4	Embroidery needles (10/Pkg)	770-811-000	L

## OTHER ACCESSORIES

### CLOTHSETTER TABLE - for MC11000



The patented Clothsetter has taken the guesswork out of positioning your embroidery. It ensures perfect placement of single designs on your project and multiple designs within the same hoop or between multiple hoopings. It's so easy, and only Janome has it. This dual function tool converts quickly into a large extension table providing extra support for all your large sewing and quilting projects.

860-401-005	A
-------------	---


### CLOTHSETTER 10000



This unique tool provides perfect placement of embroidery every time. Position arm has markings for .sew and .jef embroidery design placement.

850-402-005	B
-------------	---

### EXTENSION TABLE



An extension table fits snugly against your sewing machine, giving you a much larger work surface. Extension tables provide extra support for your sewing and quilting projects.

Please quote machine model No. when ordering.

### UPPER KNIVES



To prevent sewing problems, the upper knife of your overlocker should be replaced as soon as you notice it becoming dull.

Please quote machine model No. when ordering.


## CD-ROM DRIVE



Your Memory Craft 11000 or MB-4 can access designs directly from CD-ROMs without using a computer. This optional CD-ROM drive (read only) connects to the machine's USB port. It can be used to access professionally made CD's or ones you've burned on your own computer.

860-404-008	A	L
-------------	---	---


## STRAIGHT STITCH NEEDLE PLATE



The straight stitch needle plate is designed with a round needle hole which offers the benefit of more support around the needle and is used in conjunction with the straight stitch foot.

Please quote machine model No. when ordering

## CIRCULAR ATTACHMENT



The circular attachment is the ideal attachment for sewing circles using either straight stitch, zigzag, decorative stitches or even lettering. Circles up to 26 cm in diameter are stitched perfectly using this popular attachment so essential for craft and decorative work.

200-304-003	A C *1
200-024-109	B DEF *2

\* 1 also 6019QC, 6125QC, 6260QC

\* 2 excl. 6019QC, 6125QC, 6260QC, 712T, S-750

## JANOME QUALITY

ACUFEED 1/4 INCH SEAM FOOT  
AND NEEDLE PLATE  
ACUFEED OPEN TOE FOOT  
ACUFEED DITCH QUILTING FOOT

## QUILTWORK

EVEN FEED FOOT  
1/4 INCH SEAM FOOT  
DARNING FOOT  
CUSTOM CRAFTED ZIGZAG  
FOOT  
DITCH QUILTING FOOT

## HOME DEC

PINTUCKING FOOT + CORD GUIDE  
3-WAY CORDING FOOT  
PIPING FOOT  
GATHERING FOOT  
BEADING FOOT  
RIBBON/SEQUIN FOOT

## HEIRLOOM SEWING

SATIN STITCH FOOT  
ROLLED HEM FOOT  
PINTUCKING FOOT  
BUTTONHOLE FOOT  
PINTUCKING FOOT  
+ CORD GUIDE  
WING NEEDLE  
CUSTOM CRAFTED ZIGZAG  
FOOT

## EMBROIDERY

HAT HOOP  
RECTANGULAR HOOP  
FREE ARM HOOP  
ROUND HOOP  
EXTRA LARGE HOOP

## NEEDLE PUNCHING

### GENERAL SEWING MACHINES

STRAIGHT STITCH FOOT  
APPLIQUE FOOT  
ROLLER FOOT  
DARNING FOOT  
ULTRA GLIDE FOOT  
DITCH QUILTING FOOT  
ACUFEED DITCH QUILTING FOOT

EVEN FEED FOOT  
SATIN STITCH FOOT  
1/4 INCH SEAM FOOT  
ACUFEED 1/4 INCH SEAM FOOT  
AND NEEDLE PLATE  
GATHERING FOOT  
CUSTOM CRAFTED ZIGZAG FOOT  
ACUFEED OPEN TOE FOOT  
BINDER FOOT  
OVEREDGE FOOT  
OVERCASTING FOOT  
BLIND HEM FOOT  
HEMMER FEET SET  
ROLLED HEM FOOT  
ROTARY EVEN FOOT  
BLIND HEM ATTACHMENT  
BIAS TAPE ATTACHMENT  
WIDE ROLLED HEM ATTACHMENTS  
PINTUCKING FEET  
PINTUCKING CORD GUIDES  
PIPING FOOT  
RUFFLER  
BEADING FOOT  
3-WAY CORDING FOOT  
RIBBON/SEQUIN FOOT  
BUTTONHOLE FOOT  
BUTTON SEWING FOOT  
ZIPPER FOOT  
CONCEALED ZIPPER FOOT

### OVERLOCKER ACCESSORIES

CORDING FOOT (B)  
TAPING FOOT WITH REEL  
BLIND STITCH FOOT  
ELASTIC GATHERING ATTACHMENT  
CORDING FOOT (A)  
BEADING ATTACHMENT  
PIPING FOOT  
CLOTH GUIDE  
GATHERING ATTACHMENT

### COVER STITCH MACHINE ACCESSORIES

CLEAR VIEW COVER STITCH FOOT  
HEM GUIDE  
ELASTIC GATHERING ATTACHMENT  
TAPE BINDER  
CENTER GUIDE FOOT

### COMBINED OVERLOCK AND COVER STITCH MACHINES

GATHERING FOOT (G)  
WRAPPED EDGE GUIDE (H-3)  
COVER HEM FOOT (M)  
BIAS TAPE FOOT (M)  
TAPE BINDER  
ATTACHMENT HOLDER

FELLING GUIDE (F-4)  
CHAIN STITCH FOOT (F)  
HEM GUIDE (H-2)  
COVER HEM FOOT (M)  
CLOTH GUIDE  
ATTACHMENT HOLDER SET  
LACE ATTACHMENT GUIDE (H-1)  
COVER HEM FOOT (M)  
LACING GUIDE (F-3)  
CHAIN STITCH FOOT (F)  
FAGOTING GUIDE (F-2)  
CHAIN STITCH FOOT (F)  
ELASTIC GATHERING FOOT (C)  
ELASTIC GATHERER 7.5 MM  
ELASTIC GATHERER 10 MM  
ELASTIC GATHERER 13 MM  
BELT LOOP FOOT (L)  
CORDING GUIDE (K-2)  
PINTUCKING FOOT (K)  
CORDING GUIDE (K-2)  
CORDING FOOT (Q)  
PINTUCKING GUIDE (K-1)  
PINTUCKING FOOT (K)  
TOPSTITCH GUIDE (N-1)  
TOPSTITCH FOOT (N)  
BEADING FOOT (P)  
BLIND STITCH FOOT (D)  
AUXILIARY THREAD GUIDE

### HIGH SPEED MACHINES

ULTRA GLIDE FOOT  
NARROW STRAIGHT STITCH FOOT  
STRAIGHT STITCH FOOT  
AND NEEDLE PLATE FOR FINE FABRICS  
VELVET FOOT  
1/4 INCH SEAM FOOT  
DITCH QUILTING FOOT  
EVEN FEED FOOT  
DARNING FOOT WITH DARNING PLATE  
TAPING FOOT  
ADJUSTABLE ZIPPER FOOT  
CONCEALED ZIPPER FOOT  
ADJUSTABLE SEAM GUIDE

### MISC. ACCESSORIES NEEDLES

ASSORTED SEWING NEEDLES  
BLUE TIP NEEDLES  
RED TIP NEEDLES  
FM725 FIXED FELTING NEEDLES  
FM725 CHANGEABLE NEEDLE UNIT

### BALLPOINT NEEDLES

HA15x1SP BALL POINT ASSORTED (5/PKG)  
HA15x1SP BALL POINT SIZE 75/11 (5/PKG)  
HA15x1SP BALL POINT SIZE 90/14 (5/PKG)

## COVERPRO NEEDLES

ASSORTED 80/12 & 90/14 (5/PKG)

SIZE 80/12 (5/PKG)

SIZE 90/14 (5/PKG)

## 1600P NEEDLES

HLx5 SIZE 65/9 (10/PKG)

HLx5 SIZE 75/11 (10/PKG)

HLx5 SIZE 90/14 (10/PKG)

HLx5 SIZE 100/16 (10/PKG)

## 1600P-DB/DBX NEEDLES

DBx1 SIZE 65/9 (10/PKG)

DBx1 SIZE 75/11 (10/PKG)

DBx1 SIZE 90/14 (10/PKG)

DBx1 SIZE 100/16 (10/PKG)

## MB-4 NEEDLES

EMBROIDERY NEEDLES (10/PKG)

## OTHER ACCESSORIES

CLOTHSETTER TABLE

CLOTHSETTER 10000

EXTENSION TABLE

UPPER KNIVES

PLASTIC BOBBINS (10/PKG)

METAL BOBBIN (SINGLE)

SPECIALIZED PLASTIC BOBBIN (SINGLE)

BOBBIN CASES

SPOOL STAND

BRUSH-OUT EMBROIDERY KIT

CD-ROM DRIVE

STRAIGHT STITCH NEEDLE PLATE

CIRCULAR ATTACHMENT

BLIND STITCH FOOT

BRUSH-OUT EMBROIDERY KIT

BUTTON SEWING FOOT

BUTTONHOLE FOOT

CD-ROM DRIVE

CENTER GUIDE FOOT

CHAIN STITCH FOOT (F)

CIRCULAR ATTACHMENT

CLEAR VIEW COVER STITCH FOOT

CLOTH GUIDE

CLOTHSETTER 10000

CLOTHSETTER TABLE

CONCEALED ZIPPER FOOT

CORDING FOOT (A)

CORDING FOOT (B)

CORDING FOOT (Q)

CORDING GUIDE (K-2)

COVER HEM FOOT (M)

CUSTOM CRAFTED ZIGZAG FOOT

DARNING FOOT

DARNING FOOT WITH  
DARNING PLATE

DITCH QUILTING FOOT

ELASTIC GATHERER 7.5 mm

ELASTIC GATHERER 10 mm

ELASTIC GATHERER 13 mm

ELASTIC GATHERING ATTACHMENT

ELASTIC GATHERING FOOT

EVEN FEED FOOT

EXTENSION TABLE

EXTRA LARGE HOOP

FAGOTING GUIDE (F-2)

FELLING GUIDE (F-4)

FREE ARM HOOP

GATHERING ATTACHMENT

GATHERING FOOT

GATHERING FOOT (G)

HAT HOOP

HEM GUIDE

HEM GUIDE (H-2)

HEMMER FEET SET

LACE ATTACHMENT GUIDE (H-1)

LACING GUIDE (F-3)

METAL BOBBINS

NARROW STRAIGHT STITCH FOOT

NEEDLES

OVERCASTING FOOT

OVEREDGE FOOT

PINTUCKING CORD GUIDES

PINTUCKING FEET

PINTUCKING FOOT (K)

PINTUCKING GUIDE (K-1)

PIPING FOOT

PLASTIC BOBBINS

RECTANGULAR HOOP

RIBBON/SEQUIN FOOT

ROLLED HEM FOOT

ROLLER FOOT

ROUND HOOP

RUFFLER

SATIN STITCH FOOT

SPECIALIZED PLASTIC BOBBIN

SPOOL STAND

STRAIGHT STITCH FOOT

STRAIGHT STITCH FOOT AND NEEDLE  
PLATE FOR FINE FABRICS

STRAIGHT STITCH NEEDLE PLATE

TAPE BINDER

TAPING FOOT

TAPING FOOT (Q)

TAPING FOOT WITH REEL

TOPSTITCH FOOT (N)

TOPSTITCH GUIDE (N-1)

ULTRA GLIDE FOOT

UPPER KNIVES

VELVET FOOT

WIDE ROLLED HEM ATTACHMENTS

WRAPPED EDGE GUIDE (H-3)

ZIPPER FOOT

## A to Z

1/4 INCH SEAM FOOT

3-WAY CORDING FOOT

ACUFEEED 1/4 INCH SEAM FOOT  
AND NEEDLE PLATE

ACUFEEED DITCH QUILTING FOOT

ACUFEEED OPEN TOE FOOT

ADJUSTABLE SEAM GUIDE

ADJUSTABLE ZIPPER FOOT

APPLIQUE FOOT

ATTACHMENT HOLDER

AUXILIARY THREAD GUIDE

BOBBIN CASES

BEADING ATTACHMENT

BEADING FOOT

BEADING FOOT (P)

BELT LOOP FOOT (L)

BIAS TAPE ATTACHMENT

BIAS TAPE FOOT (M)

BINDER FOOT

BLIND HEM ATTACHMENT

BLIND HEM FOOT

■ JANOME QUALITY

■ QUILTWORK

■ HOME DEC

■ HEIRLOOM SEWING

■ EMBROIDERY

■ NEEDLE PUNCHING

▲ FOR GENERAL SEWING  
MACHINES

▲ FOR OVERLOCKERS

▲ FOR COVER STITCH MACHINES

▲ COMBINED OVERLOCK AND  
COVER STITCH MACHINES

▲ FOR HIGH SPEED MACHINES

▲ MISC. ACCESSORIES



# JANOME



**Janome Sewing Machine Co., Ltd.**

1-1 Kyobashi 3-chome, Chuo-ku, Tokyo 104-8311, Japan

Tel: +81-3-3277-2033 Fax: +81-3-3281-1160

E-mail: [support@gm.janome.co.jp](mailto:support@gm.janome.co.jp)